

Salient features:

- ❖ **PEARL MICA** Metallic Emulsion Paint is high performance long lasting Exterior / Interior Paint specially formulated to give metallic luster.
- ❖ It is based on Acrylic co-polymer and light fast Pigment / Extenders having metallic effect. The product is consistent to water attack, fungus and algae growth, chalking, flaking, etc.

TECHNICAL DATA

Areas of Application	:	Masonry, Asbestos, RCC
Method of Application	:	Brush, Roller or Spray
Consistency	:	Free flowing paste
Thinner recommended	:	Potable Water
Spreading Capacity	:	At thinner ratio of 400 ml (water) / 1000 ml (paint), 25-30 sq.ft./litre/2 coats depending on shade and Nature of surface.
Minimum dft.	:	At above spreading rate 50-55 microns
Finish	:	Metallic lustre
Drying at 30°C & 60% r.h.		
Surface Dry	:	45 mts. To 1 Hour
Hard Dry	:	4 to 5 Hours
Recoating time	:	Minimum 4 Hours at 30°C & 60% R.H.
Shades Available	:	As per Shade Card
Packing	:	20 Ltrs, 4 Ltrs, 1 Ltr, ½ Ltr



Surface Preparation :

Prepare the surface properly before application by ensuring that it is free from dust, grease, loose flaky material. Use wire brush for the purpose. Any previous growth of moss, algae, fungi to be treated with GODAVARI Bio-wash and then to be washed out thoroughly with potable water. Surface imperfections such as holes, cracks are to be filled up using mixture of white cement and fine sand in ratio of 1 : 3.

Avoid any type of putty. Freshly plastered surfaces should be cured completely. Apply one coat of COLORSOL Stabilising Solution OR one coat of GODAVARI Acrylic Cement Primer after suitably thinning with water. Then apply 2 coats of diluted **PEARL MICA** using 350 to 450 ml. water per 1 Litre Paint. Allow 5 to 6 hours interval between each coat.

TECHNICAL AID SERVICE PROVIDED ON REQUEST

Mfd. by : **GODAVARI PAINTS PVT. LTD.**

Tulsiram Gupta Mills Estate, Darukhana, Reay Road, Mumbai 400 010.

Phone : 2372 3227, 2372 1249 Fax : 2377 5814

E-mail : admin@jayantcolor.com Website : www.jayantcolor.com

DEPOTS :

AHMEDABAD, BHIWANDI, NASIK, PUNE, VADODARA

C & F / AGENTS :

KOLHAPUR, COCHIN, DELHI, RAJKOT, VALSAD, BHUJ, KANPUR, JALANDHAR

Information in this leaflet is given in good faith but without warranty. Covering capacity indicated is under ideal conditions in the laboratory on proper prepared surfaces. Consumer is advised to verify the same practically at site as various conditions effects the parameters indicated above.